




GREAT MACHINES AND MORE



2025



NOTES



@kadioglumakine



Kadioglumakina



kadioglumakina



@kadioglumakine



WWW.KADMEC.COM WWW.NUTMEC.COM



YC102

ELEKTROJET SPRAYING DEVICE 4JET TREE MODEL

Moving up and down to create circulation, Elektrojet ensures the spray reaches every side of the leaf. It can be mounted on all types of spraying tanks.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

Electrojet provides circulation by moving approximately up and down, delivering the spray to every side of the leaf. It can be mounted on all spraying tanks.



VIDEO



YC102EKO

ELECTROJET SPRAYING DEVICE 4JET ECO TREE - VINE MODEL

Electrojet provides circulation by moving approximately up and down, delivering the spray to every side of the leaf. It can be mounted on all spraying tanks.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

It can be mounted on all spraying tanks with continuous pressure between 10-20 bar. The oscillating movement is powered by a 12V tractor battery. This is the YC 102 model version without a droplet reducer.



VIDEO



YC6JETEKO

ELECTROJET SPRAYING DEVICE 6JET ECO TREE - VINE MODEL

The Kadioğlu Electrojet 6JET ECO Model features 6 nozzles with 3 + 3 jet design. 2 nozzles can be closed with ball valves and used as 4 jets.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

It can be mounted on all spraying tanks that provide continuous pressure between 10-20 bar. The oscillating movement is powered by a 12V tractor battery.



VIDEO



ES2

ELECTROJET SENSEYE TREE SENSOR SAVING SENSORS

The sensor application makes your spraying machines smart by detecting the tree and spraying accordingly, providing herbicide savings of up to 20%-60% depending on the planting spacing.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

The device controls the spray from the chemical pump using an electronic valve. It can be mounted on all Turbo Atomizer brands and models or on spraying tanks connected to Kadioğlu Elektrojet.



VIDEO





YC401

ELEKTROJET SPRAYING DEVICE FIELD MODEL

The Elektrojet Field Model is a new-generation spraying device designed for efficient pesticide and spray application in vegetable gardens and field agriculture, using an oscillating motion to disperse the spray.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

It can be mounted on spraying tanks that provide pressure between 15-40 bar. The effective spray width is 10 meters. It operates using a 12V tractor battery. Delivered ready for installation.



YC401EKO

ELEKTROJET SPRAYING DEVICE FIELD MODEL (ECO)

The Yc401 Elektrojet Field Model is the economical version without the drip-preventing part on the nozzle tips that stops dripping when pressure is cut off.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

It can be mounted on spraying tanks that provide pressure between 15-40 bar. The effective spray width is 10 meters. It operates using a 12V tractor battery. Delivered ready for installation.



YC102YC302EKO

ELEKTROJET 4JET ECO + 2 PIECES FIELD NOZZLE (ECO) PACKAGE

One Electrojet is sufficient for trees, saplings, vineyards, or annual vegetable cultivation. Price advantages are also offered for bulk purchases.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

PACKAGE CONTENTS:

- 1 pc: YC 102 ECO - Elektrojet 4JET ECO Spraying Device

- 2 pcs: YC302EKO ECO Model Field Spraying Nozzle





YC300

KADIOĞLU NANO WEED SPRAYING DEVICE (HERBICIDE)

The Kadioğlu NANO Weed Spraying Device can be mounted on all brands and models of spraying tanks, allowing homogeneous herbicide application without drifting over an adjustable width of 4 to 10 meters.

QUICK INFO


Origin: Türkiye
Brand: Kadioğlu

At 4 bar pressure and 7 km/h speed, the average consumption is as follows:

- When used at 8 m width + 7 km/h speed, approximately 137 liters of water are consumed per 10 decares.



VIDEO



YC300EKO

KADIOĞLU NANO ECO WEED SPRAYING DEVICE (HERBICIDE)

The Yc300 Model is the economical version of the Nano Weed Spraying Device without a drip-preventer. This model is recommended if frequent spray interruptions are not required.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

At 4 bar pressure and 7 km/h speed, the average consumption is as follows:

- When used at 8 m width + 7 km/h speed, approximately 137 liters of water are consumed per 10 decares.



VIDEO



YC300BEKO

KADIOĞLU NANO ECO WEED SPRAYING DEVICE EXTENDABLE MODEL (HERBICIDE)

This version of the Nano ECO weed spraying device has extendable arms designed for application to tree and vineyard bases. The closed version offers a spray coverage of 4 to 10 meters, similar to other Nano models.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

At 4 bar pressure and 7 km/h speed, the average consumption is as follows:

- When used at 8 m width + 7 km/h speed, approximately 137 liters of water are consumed per 10 decares.



VIDEO



SPD2

KADIOĞLU SPEEDY 2 DOUBLE-SIDED WEED SPRAYING

Designed for herbicide applications in orchards and vineyards, the Kadioğlu Speedy 2 model features 3 separate movement pistons and adjustable-angle TJET nozzles.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

The standard working width ranges from 280 to 500 cm tip to tip. Narrow, wider, one-way, or pistonless models are produced upon request.

Models that can be mounted on spraying tanks are also available.



VIDEO





ECOLOGICAL WEED CONTROL EQUIPMENT



**4 YEARS
WARRANTY
HYDRAULIC
SYSTEM**



KDM500

KADIOĞLU ECO HYDRAULIC SENSORED HOEING MACHINE

The sensed hoeing machine is designed for hoeing hard-to-reach areas near the bases of trees, saplings, vineyards, and similar fields, offering durability for many years of service.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

Suitable for tractors with a hydraulic oil flow of 20 liters per minute and 2 hydraulic outlets.
(A telescopic arm with piston open-close function requires 4 hydraulic outlets.)



KADIOĞLU EKO COMPATIBLE ATTACHMENT OPTIONS

	KDM205U	LONG TYPE HOE BLADE ATTACHMENT + BALANCE DISC	Hoeing attachment for narrow orchards and vineyards, performing shallow hoeing and uprooting weeds.
	KDM202	3-PLATE DISC HARROW ATTACHMENT	Suitable hoeing attachment for narrow planting orchards and vineyards.
	KDM203	4-PLATE DISC HARROW ATTACHMENT	Hoeing attachment for classic, semi-dwarf orchards or vineyards with wide planting spacing.
	KDM206	5-PLATE DISC HARROW ATTACHMENT	Hoeing attachment for classic and semi-dwarf orchards or vineyards with wide planting spacing.
	KDM201	2-DISC SOIL FILLING ATTACHMENT FOR PLANT BASES	Attachment used for forming ridges by piling soil at the bases. Also used for weed control.
	KDM2013	3-DISC SOIL FILLING ATTACHMENT FOR PLANT BASES	An attachment that forms ridges by piling soil at the plant bases. It is also used for weed control.
	KDM204	PLOW ATTACHMENT	Attachment for opening or hoeing vineyard bases. It performs similarly to the 3-disc harrow attachment but works deeper.



ECOLOGICAL WEED CONTROL EQUIPMENT

KADIOĞLU
Makine
1987





ECOLOGICAL WEED CONTROL EQUIPMENT



KDR101

KADIOĞLU ROTO VERTICAL ROTARY TILLER TYPE HOEING MAC. (INCLUDES 30 + 50 CM)

The ROTO Model Base Hoeing Machine is a precision sensor-based hoeing machine that operates with hydraulic oil flow. Designed for vineyards and orchards, it features a user-friendly control lever for angle adjustments.

QUICK INFO


Suitable for tractors providing 180 bar hydraulic pressure and 30 liters of oil flow per minute.

Origin:
Türkiye

Brand:
Kadioğlu



KADIOĞLU ROTO COMPATIBLE ATTACHMENT OPTIONS



KDR202

KADIOĞLU ROTO HOE BLADE ATTACHMENT

Attachment that cuts the soil superficially to control weeds in narrow planting orchards and vineyards.



KDR203

KADIOĞLU ROTARY WEED CUTTING (BRUSHCUTTER) ATTACHMENT

Attachment that cuts weeds at soil level without mixing the soil.



KDM300

KADIOĞLU BRANCH SWEEPING ATTACHMENT FOR ROTO

Attachment used to remove pruning residues or diseased leaves from the base, keeping them away from the tree.



KDT100

KADIOĞLU ECOSKID TRACTOR BRUSHCUTTER

Weed-cutting brushcutter designed to eliminate weeds growing at the bases of orchards and vineyards. (Wheel model available)

QUICK INFO

Suitable for tractors providing 180 bar hydraulic pressure and 20 liters of oil flow per minute.

Origin:
Türkiye

Brand:
Kadioğlu





KS100

KADIOĞLU STAR MECHANICAL VINEYARD - ORCHARD BASE HOEING EQUIPMENT

The Kadioğlu Star Hoeing Machine is a hoeing equipment specially designed for biological weed control and fertilizer mixing at the bases of vineyards and dwarf orchards.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Chassis providing multi-directional angle adjustment and depth control
- Silicone fingers that do not damage the tree bark



VIDEO



KDM600

ÇAPAMATİK HYDRAULIC SENSOR-BASED HOE ATTACHMENT FOR CHISEL - CULTIVATOR

Kadioğlu Çapamatik is designed to be easily mounted on all vineyard-orchard type chisel plows. It helps ensure that no unhoed areas remain around the bases of trees or vines during tillage.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Suitable for tractors providing 20 liters of hydraulic oil flow per minute.
- Recommended for well-leveled and organized orchards.



DP 220

KADIOĞLU DP220 BRANCH SHREDDING AND GRASS CUTTING MACHINE

The Kadioğlu DP220 is a robust and versatile machine designed for shredding branches, grass, and crop residues. It is particularly ideal for olive groves, orchards, and vineyards, and is well-suited for intensive use.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Working Width: 220 cm - Min Power Req: 55 hp
- Hydraulic Side Shift
- Internal Hood Protection
- Adjustable Shredding Size
- Forged Steel, Heavy-Duty Hammer Type Shredders



VIDEO



CBM200


KADIOĞLU CBM200 HORIZONTAL BLADE ORCHARD-TYPE GRASS CUTTING MACHINE

The orchard and vineyard grass cutting machine shifts sideways to approach tree bases. When the spring-loaded cutting unit touches the tree, it retracts, allowing the grass around the tree base to be cut.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Adjustable cutting height
- Working width: 200 cm
- Cutting attachment working width: 60 cm
- Weight: 350 kg





ECOLOGICAL WEED CONTROL EQUIPMENT



ECR250

KADIOĞLU ECOROLLER GRASS MULCHING AND STUBBLE CRUSHING EQUIPMENT


The ECOROLLER is an equipment designed for grass mulching and post-harvest stubble crushing in field crops. It breaks and folds plant stems, creating an excellent shade layer that triggers shadow fermentation.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Working width: 150 cm when closed – 250 cm when opened

Total weight: 900 kg



E5500

KADIOĞLU SMART 6.5 HP TILLER

The Kadioğlu Smart has a heavier and more robust structure than its counterparts. Its 4-gear system with belt transmission ensures effective performance on sloped and difficult areas.

- 6,5 HP Loncin Motor

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu



VIDEO



KHM10

KADIOĞLU HITCHMAX TRAILER CONNECTION FOR TRACTOR THREE-POINT HITCH

The Kadioğlu Hitchmax is a robust equipment specially designed for those who want to use the tractor's three-point hitch as a trailer connection.

- Suitable for 2 different types of connections.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu



Kertcenter.com
Sikeres Modern Mezögazdaság



PRUNING EQUIPMENT



KBB24

KADIOĞLU KBB24 DOUBLE-SIDED - 3-PISTON VINEYARD PRUNING (SHOOT CUTTING)

Thanks to its double-action blade, the Kadioğlu KBB24 provides smooth, burr-free cuts. It is suitable for branches up to 2 cm thick in vineyards and dwarf orchards.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Shock-absorbing piston
- Adjustable working angle in all directions
- Various blade length options



VIDEO



FARKLI SEÇENEKLER



KBB2

KADIOĞLU KBB2 DOUBLE-SIDED - 1-PISTON VINEYARD PRUNING (SHOOT CUTTING) MACHINE

Equipped with double-action blades made in Italy.



KBB1

KADIOĞLU KBB1 SINGLE-SIDED - 1-PISTON VINEYARD PRUNING (SHOOT CUTTING) MACHINE

Equipped with double-action blades made in Italy.



KBB14

KADIOĞLU KBB14 SINGLE-SIDED - 2-PISTON VINEYARD PRUNING (SHOOT CUTTING) MACHINE

Equipped with double-action blades made in Italy.



KDT112

KADIOĞLU FRONT-MOUNTED DOUBLE-SIDED BRANCH SWEEPING MACHINE

The Kadioğlu KDT112 is a front-mounted, hydraulically driven branch sweeping machine that operates on both sides to gather pruned branches in vineyards and orchards.

QUICK INFO

- Working width: 220 – 360 cm
- Suitable for tractors providing 160 bar pressure and 20 liters of oil flow per minute

Origin:
Türkiye

Brand:
Kadioğlu

KDT110

KADIOĞLU FRONT-MOUNTED SINGLE-SIDED BRANCH SWEEPING MACHINE

The Kadioğlu KDT110 is a front-mounted, hydraulically driven branch sweeping machine that operates on one side to gather pruned branches in vineyards and orchards.

QUICK INFO

- Working width: 110 – 180 cm
- Suitable for tractors providing 160 bar pressure and 15 liters of oil flow per minute

Origin:
Türkiye

Brand:
Kadioğlu



VIDEO



KDT100S

KADIOĞLU REAR-MOUNTED SINGLE-SIDED BRANCH SWEEPING MACHINE

Flexible PVC fingers do not damage the trees and easily sweep even the thinnest branches and leaves, as well as branches up to 15 cm thick.

QUICK INFO

- Specially manufactured hydraulic motor that efficiently utilizes oil flow
- Uniquely designed PVC brushes

Origin:
Türkiye

Brand:
Kadioğlu



VIDEO



DT230

KADIOĞLU DT230 ADJUSTABLE - PISTON-OPERATED BRANCH COLLECTION EQUIPMENT

The Branch Collection Equipment is an economical tool designed to gather and remove pruned branches from vineyards and orchards after pruning.

Working width: Adjustable between 230 – 135 cm

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu



VIDEO





TREE HARVESTING MACHINES



HM600M

KADIOĞLU VIBROPE MASTER ROPE SHAKER TREE HARVESTING MACHINE

The most powerful rope shaker model, Kadioğlu Vibrope Master, features an adjustable pull-and-release (shaking) distance.

QUICK INFO

Motion: Crank Arm and Eccentric Shaft
Output: Movable U-Type Lock
Pull-and-Release Distance: 9 – 12 – 14 cm
Ratio: 1:1
Weight: 80 kg

Origin:
Türkiye

Brand:
Kadioğlu



HM600

KADIOĞLU VIBROPE ROPE SHAKER TREE HARVESTING MACHINE

With over 10,000 users, it is the most widely used rope shaker tree harvesting machine model.

QUICK INFO

Motion: Crank Arm and Eccentric Shaft
Output: Movable Clevis
Pull-and-Release Distance: 10 cm
Ratio: 1:1
Weight: 62 kg

Origin:
Türkiye

Brand:
Kadioğlu



HM600EKO

KADIOĞLU VIBROPE ECO (OLIVE S) ROPE SHAKER TREE HARVESTING MACHINE

Featuring a simple and robust design, the Vibrope ECO stands out with its affordable price.

QUICK INFO

Motion: Eccentric Shaft
Output: Movable Steel Pulley
Pull-and-Release Distance: 6 cm
Ratio: 1:1
Weight: 59 kg

Origin:
Türkiye

Brand:
Kadioğlu



HM600X

KADIOĞLU VIBROPE X ROPE SHAKER TREE HARVESTING MACHINE

Kadioğlu Vibrope X Gearbox Rope Tree Shaker is made with high-pressure resistant, high-quality industrial materials for all its components. It is easy to maintain and operate.

QUICK INFO

Motion: Eccentric Shaft
Output: Movable Steel Pulley
Pull-and-Release Distance: 7 cm
Ratio: 1:1
Weight: 69 kg

Origin:
Türkiye

Brand:
Kadioğlu



Kertcenter.com
Sikeres Modern Mezőgazdaság



TREE HARVESTING MACHINES



VIDEO



HM202T2

ATRAX V4 PRO BATTERY-POWERED OLIVE HARVESTING MACHINE

Meet the ATRAX V4 PRO – the strongest, lightest, and most durable olive harvester in its class. Built with hardened steel gears and motor protection for long-lasting performance.

QUICK INFO

- A 12V 60A battery is recommended

Origin: Greece
Brand: Atrax

- Operates with a 12V battery; compatible with tractor, car, or motorcycle batteries.
- Energy-efficient design keeps power consumption to a minimum.
- Harvesting head weight: 1.3 kg; total weight for 2.4 m length: only 1.99 kg – one of the lightest olive harvesters in its class.
- World's lightest 750W olive harvester.
- Stepless speed control allows adjustment between 400–1200 RPM to match tree density and branch structure.
- External cable routing from the control unit helps prevent breakage.
- Minimal vibration for user comfort.
- Includes a standard 14-meter power cable, so the battery doesn't need to be carried around.
- Harvesting capacity: 130–200 kg of olives per hour (varies by tree yield and density).

240 - 360 cm
Telescopic:

180 - 240 cm
Telescopic:

Removable
Height
Adjustable:

HM202T

HM202T2

HM202AT



VIDEO



HM130P

KADIOĞLU HMX HIGH-SPEED BRANCH SHAKER MACHINE (WITH KAWASAKI TJ53E ENGINE)

A machine with a backpack-mounted motor, easy to maneuver on branches, practical, and shakes the branch 3500 times per minute. Kadioğlu HMX.

QUICK INFO

Engine Power: 3 hp

Shaking Frequency: 3000–3500 times per minute

Origin: Türkiye
Brand: Kadioğlu



Machine carrying
hook

OPTIONAL



Kertcenter.com
Sikeres Modern Mezögazdaság



ZY100

KADIOĞLU ZY 100 GASOLINE ENGINE-POWERED OLIVE LEAF REMOVAL MACHINE

The Radioğlu ZY100 Olive Leaf Removal Machine separates the olives from the leaves that fall onto the spread during harvesting. It is used to save labor and crate costs.

It operates with a gasoline-powered 4-stroke engine.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu



SE2

KADIOĞLU HMX MANUFACTURED BAY LEAF REMOVAL MACHINE

Thanks to its highest-speed transmission in its class, it releases processed bay leaves with lower breakage rates compared to manual separation, preserving the quality of the leaves.


- Available in 220V or 380V versions.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

Please contact us for turnkey bay leaf removal plant project planning.



ZYH10

TREE HARVESTING SPREADER 10-PACK - 5 X 8 M SIZE

High-quality harvest spreads for olives, apricots, walnuts, and more. They don't fly in the wind, absorb water, or tear easily.

Delivered in a 10-pack box. Size: 5 x 8 m.

QUICK INFO

Origin:
Türkiye

Please contact us for bulk purchases.







WALNUT HULLING MACHINES



CKS40

KADIOĞLU PRATIKO 40 HOBBI WALNUT HULLING MACHINE

Our model for hobby use or those with a small quantity of walnuts.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

40 LITERS

Average
20-25 kg

Speed Feature:



Fixed
Speed

Abrasive Type:



Metal
Grinders



CKS80

KADIOĞLU PRATIKO 80 WALNUT HULLING MACHINE

It peels an average of 400 - 600 kg of walnuts per hour.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

80 LITERS

Average
55-65 kg

Speed Feature:



Fixed
Speed

Abrasive Type:



Metal
Grinders



CKS80D

KADIOĞLU PRATIKO 80D PRECISION SPEED CONTROL WALNUT HULLING MACHINE

It is the precision speed control version of the CKS80 model.

QUICK INFO


Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

80 LITERS

Average
55-65 kg

Speed Feature:



Adjustable
Speed

Abrasive Type:



Metal
Grinders



CKS130EKO

KADIOĞLU CKS130EKO WALNUT HULLING MACHINE

It peels an average of 600 - 900 kg of walnuts per hour.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

170 LITERS

Average
90-110 kg

Speed Feature:



Fixed
Speed

Abrasive Type:



Metal
Grinders



Kertcenter.com
Sikeres Modern Mezőgazdaság



WALNUT HULLING MACHINES



CKS130EKOD

KADIOĞLU CKS130EKOD PRECISION SPEED CONTROL WALNUT HULLING MACHINE

It is the precision speed control version of the CKS130EKO model.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

170 LITERS

Average
90-110 kg

Speed Feature:

Adjustable
Speed

Abrasive Type:

Metal
Grinders



CKS130

KADIOĞLU CKS130 WITH SIEVING TABLE WALNUT HULLING MACHINE

It is the sieving table version of the CKS130EKO model.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

170 LITERS

Average
90-110 kg

Speed Feature:

Fixed
Speed

Abrasive Type:

Metal
Grinders



CKS130D

KADIOĞLU CKS130D WITH SIEVING TABLE + PRECISION SPEED CONTROL WALNUT HULLING

It is the precision speed control and sieving table version of the CKS130EKO model.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

170 LITERS

Average
90-110 kg

Speed Feature:

Adjustable
Speed

Abrasive Type:

Metal
Grinders



CKS90160

KADIOĞLU CKS90160 WALNUT HULLING MACHINE

It peels an average of 700 - 1100 kg of walnuts per hour. Abrasives are guaranteed for the lifetime of the machine.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

180 LITERS

Average
110-120 kg

Speed Feature:

Fixed
Speed

Abrasive Type:

Steel
Blades



Kertcenter.com
Sikeres Modern Mezőgazdaság



WALNUT HULLING MACHINES



CKS90160D

KADIOĞLU CKS90160D PRECISION SPEED CONTROL WALNUT HULLING MACHINE

It is the precision speed control version of the CKS90160 model.

QUICK INFO


Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

180 LITERS

Average
100 -120 kg

Speed Feature:



Adjustable
Speed

Abrasive Type:



Steel
Blades



CKS90161

KADIOĞLU CKS90161 WALNUT HULLING MACHINE WITH SIEVING TABLE

It is the sieving table version of the CKS90160 model.

QUICK INFO


Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

180 LITERS


Average
100-120 kg

Speed Feature:



Fixed
Speed

Abrasive Type:



Steel
Blades



CKS90161D

KADIOĞLU CKS90161D WALNUT HULLING MACHINE WITH SIEVING TABLE & SPEED

It is the sieving table and precision speed control version of the CKS90160 model.

QUICK INFO


Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

180 LITERS

Average
100-120 kg

Speed Feature:



Adjustable
Speed

Abrasive Type:



Steel
Blades



MASTER350

KADIOĞLU MASTER350 WALNUT HULLING MACHINE

It peels an average of 1750 - 2000 kg of walnuts per hour. It features an additional mixer in the center.

QUICK INFO


Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

350 LITERS


Average
200-250 kg

Speed Feature:



Fixed
Speed

Abrasive Type:



Metal
Grinders





WALNUT HULLING MACHINES



MASTER350S

KADIOĞLU MASTER350 WITH SIEVING TABLE WALNUT HULLING MACHINE

It is the sieving table version of the MASTER350 model.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

350 LITERS

Average
200-250 kg

Speed Feature:



Fixed
Speed

Abrasive Type:



Metal
Grinders



1.5X
TIMES FASTER
SHELLING

NUTMEC180ED

KADIOĞLU NUTMEC180ED WALNUT HULLING MAC. WITH SIEVING TABLE & SPEED CONTROL

It peels an average of 1300 - 1900 kg of walnuts per hour. It features an angled drum that increases peeling pressure.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

190 LITERS

Average
110-130 kg

Speed Feature:



Adjustable
Speed

Abrasive Type:



Steel
Blades



2X
TIMES FASTER
SHELLING

NUTMEC280ED

KADIOĞLU NUTMEC280ED WALNUT HULLING MAC. WITH SIEVING TABLE & SPEED CONTROL

It is the larger drum and mixer version of the NUTMEC180ED model. It peels an average of 2400 - 3000 kg of walnuts per hour.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

280 LITERS

Average
160-200 kg

Speed Feature:



Adjustable
Speed

Abrasive Type:



Steel
Blades



NUTMEC180

KADIOĞLU NUTMEC180 PTO-DRIVEN WALNUT HULLING MACHINE

It peels an average of 1300 - 1900 kg of walnuts per hour. It has an angled drum that increases peeling pressure.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

190 LITERS

Average
110-130 kg

Speed Feature:



TRACTÖR
Adjustable

Abrasive Type:



Steel
Blades



Kertcenter.com
Sikeres Modern Mezőgazdaság



WALNUT HULLING MACHINES



NUTMEC280

KADIOĞLU NUTMEC280 PTO-DRIVEN WALNUT HULLING MACHINE

It peels 2400 - 3000 kg of walnuts per hour with an angled drum for increased pressure and a central mixer.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

280 LITERS

Average
160-200 kg

Speed Feature:

TRACTÖR

Tractor
Adjustable

Abrasive Type:



Steel
Blades

MAGNUM2

KADIOĞLU MAGNUM2 DOUBLE DRUM HORIZONTAL WALNUT HULLING MACHINE

Peels 1800 - 2400 kg of walnuts per hour. Preferred for low breakage rate and easy adaptation to continuous system.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

800 LITERS

Average
250-300 kg

Speed Feature:



Adjustable
Speed

Abrasive Type:



Dual Drum
Metal Fingers



MAGNUM3SET

KADIOĞLU MAGNUM3 INDEPENDENT DOUBLE DRUM WALNUT HULLING MACHINE

It peels 2500 - 3400 kg of walnuts per hour with low breakage and easy system integration.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Single Capacity:

1100 LITERS

Average
350-450 kg

Speed Feature:



Adjustable
Speed

Abrasive Type:



Independent
Dual Drum





ALMOND HULLING MACHINES



BKS130E

KADIOĞLU BKS130E ALMOND HULLING MACHINE

This machine separates the green husks from an average of 400-800 kg of green almonds per hour. Its compact design makes it highly practical and easy to maintain.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Operates with 220V household electricity.
- The hulling section is 130 cm long.



BKS130T

KADIOĞLU BKS130T ALMOND HULLING MACHINE

This machine separates the green husks from an average of 600-900 kg of green almonds per hour. Its compact design makes it highly practical and easy to maintain.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Connected to the tractor via three-point hitch.
- Powered by the tractor's PTO shaft.



BKS3000

KADIOĞLU BKS3000 DOUBLE DRUM ALMOND HULLING MACHINE

The Kadioğlu BKS3000 Almond Hulling Machine separates the green husks from an average of 2500-3500 kg of green almonds per hour. It reliably hulls many varieties of both domestic and foreign almonds.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Vertical outer cage prevents almond damage.
- High capacity with double drums.
- Durable, flexible rubber fingers.



WALNUT - HAZELNUT - ALMOND DRYING MACHINES

KADIOĞLU
Makine
1987





HAZELNUT AND PISTACHIO HULLING MACHINE



FAM350

KADIOĞLU FAM350 ELECTRIC HAZELNUT CLEANING MACHINE

The Kadioğlu FAM350 Hazelnut Sorting Machine separates the husk, stones, and dust from harvested hazelnuts. It also separates empty hazelnuts.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Operates with 220V household electricity.
- Hourly capacity: 100-300 kg



VIDEO



FKS100

KADIOĞLU FKS100 PISTACHIO HULLING MACHINE

With its practical, compact design, the Kadioğlu FKS100 pistachio hulling machine makes it easy to process red-skinned, cluster (with shells), and green (raw pistachios).

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Operates with 220V household electricity.





5200E

KADIOĞLU 5200E ELECTRIC HEATED NUT DRYING MACHINE

The CKM5200E drying machine is suitable for drying walnuts, hazelnuts, and almonds. With precise temperature and automatic mixing time settings, it can dry many other types of nuts. The Kadioğlu CKM5200E Model operates with 380V electricity. Versions with different heating methods are introduced later on this page.

(Maximum power requirement: 18.5 kW)



QUICK INFO

Origin: Türkiye
Brand: Kadioğlu



- Precise temperature sensors
- Helix that gently mixes the nuts
- Adjustable mixing time (the mixing duration within 1 hour can be programmed)
- Separate 2 discharge outlets for sack and conveyor belt
- Sample inspection window
- Can be moved short distances with vehicles equipped with a tow bar
- Height adjustment
- Independent fan – temperature and helix control
- 5200-liter drying chamber volume (capacity varies between 2-3 tons depending on nut type and moisture content at harvest)

Average drying times: (Applicable to all 5200 series models)

- For hazelnuts: 4 - 10 hours (varies depending on nuts and external humidity)
- For walnuts: 20 - 45 hours (varies depending on nuts and external humidity)



5200P

KADIOĞLU 5200E PELLET-SHELL BURNER HEATING UNIT NUT DRYING MACHINE

In the CKM5200P model, hazelnut shells, walnut shells, or pellets are used as heating fuel. This provides a more cost-effective drying solution compared to electricity and liquid fuels.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

It is the pellet-fuel heated version of the 5200 series drying machines. It is produced with an automatic fuel feeding system. Additionally, it includes all the features from section A.

CKM5200M

KADIOĞLU 5200M DIESEL FUEL BURNER HEATED NUT DRYING MACHINE

In the CKM5200M model, diesel fuel is used for heating during the drying process. It can also be used in areas without three-phase electricity. (Available in two versions: 380V and 220V)

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

It is the version of the 5200 series drying machines with a diesel fuel burner for heating. Additionally, it has all the features listed in Section A.





6500P

KADIOĞLU 6500P PELLET-SHELL BURNER NUT DRYING MACHINE

CKM6500P DRYING MACHINE IS SUITABLE FOR WALNUT, HAZELNUT, AND ALMOND DRYING. It can also dry many other nuts with precise temperature and mixing time settings.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Works with 380V industrial electricity.
- Uses an automatic feeding pellet-shell burner as a heater.
- Capacity: 6500 Liters



6500M

KADIOĞLU 6500M DIESEL FUEL BURNER HEATED NUT DRYING MACHINE

CKM6500P DRYING MACHINE IS SUITABLE FOR DRYING WALNUT, HAZELNUT, AND ALMOND. It can also dry many other nuts with precise temperature and mixing time settings.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Works with 380V industrial electricity.
- Uses a diesel burner as a heater.
- Capacity: 6500 Liters



CKM5600EK

KADIOĞLU 5600EK ELECTRIC HEATED NUT DRYING MACHINE

CKM5600EK DRYING MACHINE IS SUITABLE FOR DRYING WALNUT, HAZELNUT, AND ALMOND. It can also dry many other nuts with precise temperature and mixing time settings.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Works with 380V industrial electricity.
 - Uses electrical energy as a heater.
 - Capacity: 5600 Liters
- (Maximum electricity requirement: 17.5 kW)



CKM5600PK

KADIOĞLU 5600PK PELLET-SHELL BURNER NUT DRYING MACHINE

In the CKM5600PK Model, hazelnut shells, walnut shells, or pellet fuel are used as the heater. This provides more cost-effective drying compared to electricity and liquid fuels.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Works with 380V industrial electricity.
- Uses a diesel burner as a heater.
- Capacity: 5600 Liters





WALNUT - HAZELNUT - ALMOND DRYING MACHINES



CKM5600MK

KADIOĞLU 6300MK DIESEL FUEL BURNER HEATED NUT DRYING MACHINE

CKM5600MK DRYING MACHINE IS SUITABLE FOR DRYING WALNUT, HAZELNUT, AND ALMOND. It can also dry many other nuts with precise temperature and mixing time settings.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 380V industrial electricity.
- Uses a diesel burner as a heater.
- Capacity: 5600 Liters



CKM2600E

KADIOĞLU 2600E ELECTRIC HEATED NUT DRYING MACHINE

CKM2600E DRYING MACHINE IS SUITABLE FOR DRYING WALNUT, HAZELNUT, AND ALMOND. It can also dry many other nuts with precise temperature and mixing time settings.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 380V industrial electricity.
- Uses electrical energy as a heater.
- Capacity: 2600 Liters
(Maximum electricity requirement: 11.5 kW)



VIDEO



CKM2400E

KADIOĞLU 2400E ELECTRIC HEATED NUT DRYING MACHINE

CKM2400E drying machine is suitable for drying walnut, hazelnut, and almond.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 380 V industrial electricity.
- Uses electrical energy as a heater.
- Capacity: 2400 Liters
(Maximum electricity requirement: 10.5 kW)



VIDEO



CKM1300E

KADIOĞLU 2400E ELECTRIC HEATED NUT DRYING MACHINE

In the CKM5600PK model, hazelnut shells, walnut shells, or pellet fuel are used as the heater fuel. This provides more cost-effective drying compared to electricity and liquid fuels.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- 380 V - 230 V versions are available.
- Uses electrical energy as a heater.
- Capacity: 1300 Liters
(Maximum electricity requirement: 6.5 kW)



Kertcenter.com
Sikeres Modern Mezőgazdaság



KA1300E

KADIOĞLU CKM1300E DRYING MACHINE WALNUT MIXING ATTACHMENT

It is compatible with Kadioğlu CKM1300E models. The mixing auger is adjustable to mix the product evenly.

QUICK INFO

- Works with 220 V household electricity.

Origin:
Türkiye

Brand:
Kadioğlu

NUTMECS24

KADIOĞLU NUTMEC S24 NUT STORAGE BOX

The storage box used for storing or transporting dry nuts allows air circulation from all sides, reducing the risk of aflatoxin growth.

QUICK INFO

- The volume of NUTMECS24 is 2400 liters.

Origin:
Türkiye

Brand:
Kadioğlu

NUTMECS54

KADIOĞLU NUTMEC S54 WALNUT STORAGE BOX

The storage box used for storing or transporting dry nuts allows air circulation from all sides, reducing the risk of aflatoxin growth.

QUICK INFO

- NUTMECS54 volume is 5400 liters.

Origin:
Türkiye

Brand:
Kadioğlu

**An optional vibration motor can be added to facilitate discharge.*

MX25P

KADIOĞLU MX25P PELLET HEATED LAYERED WALNUT DRYING MACHINE

Walnuts are dried in 3 sections. The driest walnuts in the lowest section are discharged, and the ones from the upper sections are moved to lower sections with piston-operated lids. Walnuts are fed from the top.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Versions heated with electricity, LPG, diesel, or solid fuel are produced on order.

- Capacity: $8000 \times 3 = 25000$ Liters

- Can hold an average of 6500 - 8000 kg of walnuts at once.





BAD WALNUT SEPARATING AND SIZING MACHINES



BOOST1900Z

KADIOĞLU BOOST1900Z EMPTY-DAMAGED (BAD) WALNUT SEPARATION MACHINE

Boost1900Z separates empty or damaged walnuts with high-flow air and features an electronic driver for precise flow control. Walnuts are fed at the ideal speed using a conveyor belt.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

It is used for dry and un-dried walnuts. The accuracy rate increases with dry walnuts.



BOOST3200Z

KADIOĞLU BOOST3200Z EMPTY-DAMAGED (BAD) WALNUT SEPARATION MACHINE

Kadioğlu Boost3200z separates walnuts with damaged kernels and broken shells by weight, using an electronically adjustable fan flow. It's designed for high-capacity walnut processing facilities.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

It is used for dry and un-dried walnuts. The accuracy rate increases with dry walnuts.



C300E

KADIOĞLU C300E WALNUT SIZING MACHINE 3 + 1 SEPARATOR MODEL

It separates the walnuts into 4 different sizes. The feeding conveyor belt can be added optionally.

4. Size	3. Size	2. Size	1. Size
0 - 28 mm	28 - 32 mm	32 - 36 mm	LARGE >36 mm



QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu



C200ES

KADIOĞLU C200E WALNUT SIZING MACHINE 2 + 1 SEPARATOR MODEL

Kadioğlu C200E separates walnuts into 3 different sizes.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Works with 220 V household electricity.





CKK300

KADIOĞLU CKK300 3 WAY WALNUT CRACKING MACHINE

Kadioğlu CKK300 is a professional walnut cracking tool that cracks walnuts without damaging the kernel. It can crack an average of 100 kg per hour, without the need to sort walnuts by size.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Precise cracking level adjustment
- Easy to use
- Cracks with high butterfly separation rate without the need for sizing



VIDEO



CKK200

KADIOĞLU CKK200 SIZING FEATURED WALNUT CRACKING MACHINE

Kadioğlu CKK200 first sorts the walnuts by size and then cracks them. This allows it to operate with a high butterfly separation rate.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 220 V household electricity.
- The walnut variety affects the butterfly separation rate.



VIDEO



BOOST500Z

KADIOĞLU BOOST500Z SHELL SEPARATION FAN

This machine is designed for separating the shells and kernels of hard-shelled products like almonds, hazelnuts, walnuts, etc., after cracking most products.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

Shell separation success varies depending on the product. For walnuts, the separation rate is 20-40%, for almonds it's 60-90%, and for hazelnuts, it's 70-95%.

C1

KADIOĞLU BFK200 CONICAL ALMOND CRACKING & SHELL SEPARATION LINE

KADIOĞLU BFK200 has a capacity of extracting 200 kg of almond kernels per hour. It optimizes and accelerates the processing while ensuring high whole kernel yield.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Crushing Unit Made with Platinum-Enhanced Material
- No-Sizing Required Conical Crusher
- Vibrating Shell Separation Screen
- Speed Adjustable Conveyor
- Fan-Assisted Shell Separation Feature





NUT CRACKING MACHINES



CKK40

KOMA KIRMATİK WALNUT AND HAZELNUT CRACKING MACHINE

Featuring a 2-stage speed adjustment and easy operation, allows cracking an av. of 60-80 kg of walnuts per hour. The machine is also highly efficient for hazelnut cracking.

QUICK INFO

Origin: Türkiye
Brand: KOMA

- Easy to use
- Silent and space-saving design suitable for household use



CKK50

KADIOĞLU CKK50 WALNUT AND HAZELNUT CRACKING MACHINE

Kadioğlu CKK100 has a cracking size adjustment. It can be used for walnuts and hazelnuts.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 220 V household electricity.



CKK100

KADIOĞLU CKK100 WALNUT CRACKING MACHINE

Kadioğlu CKK100 Walnut Cracking Machine has a cracking size adjustment according to the size of the walnuts.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 220 V household electricity.



C10

KADIOĞLU C10 DISC SYSTEM WALNUT AND HAZELNUT CRACKING TOOL

The Kadioğlu C10 Walnut - Hazelnut Cracking Tool, designed for walnuts and hazelnuts, is intended for small producers or household use.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

In high-quality walnuts with similar sizes (such as Chandler, etc.), butterfly separation ranges from 70-90%.

In high-quality hazelnuts, undamaged hazelnuts range from 80-95%.





NUT CRACKING MACHINES



C1

KADIOĞLU C1 NUT CRACKING TOOL

Kadioğlu C1 cracks hard-shelled nuts by vertical compression, allowing the contents to be extracted whole without damage. Suitable for WALNUTS, ALMONDS, HAZELNUTS, APRICOT KERNELS, etc.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

- Has steel teeth.



VIDEO



C3

KADIOĞLU TAŞKIRAN C3 WALNUT - ALMOND CRACKING TOOL

Kadioğlu TAŞKIRAN C3 Nut Cracking Tool is ideal for cracking hard-shelled nuts like walnuts, almonds, apricot kernels, and hazelnuts without damaging the inner contents. It uses a unique mechanism and steel teeth to crack nuts easily.

QUICK INFO

Origin:
Türkiye

Brand:
Kadioğlu

A 50 kg pressure on the handle generates up to 3 tons of compressive force.



VIDEO



10 KG



600 KG





KB300K

KADIOĞLU 3-METER + 3-WAY MANUAL
CONTROL AND SORTING BELT CONVEYOR


We offer conveyor belt design and manufacturing in various sizes and specifications for orders or facility applications.

QUICK INFO

- 220 V - 380 V is optional.

Origin:
Türkiye

Brand:
Kadioğlu



NUTMEC5K

KADIOĞLU NUTMEC5K ANGLE ADJUSTABLE
CONVEYOR BELT

It is developed to be compatible with Kadioğlu Walnut Drying Machines. It has height adjustment.

QUICK INFO

- 220 V - 380 V is optional.


Origin:
Türkiye

Brand:
Kadioğlu





Kertcenter.com
Sikeres Modern Mezőgazdaság





PROJECT

The facility layout is created based on the customer's needs. Then, it is detailed and presented. After mutual approval, the manufacturing process begins.



UYGULAMA



Our experienced team handles the installation with great care. If the customer has additional needs or notices any shortcomings, we quickly revise the facility and make improvements in no time.






SAMPLE PROJECTS & APPLICATIONS

KADIOĞLU
Makine
1983









PT650

KADIOĞLU PRESSTOO FRUIT GRINDER FEATURED HYDRAULIC FRUIT PRESS

With Kadioğlu Prestoo, which combines two separate tasks into one machine, the quality of the juice extracted is very high.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 220 V household electricity.
- Basket volume: 65 Liters
- Pressing power: 1 - 6 tons



VIDEO



KE20

KADIOĞLU KRIKO 20 JACK PRESS FRUIT - GRAPE PRESS

Kadioğlu Kriko20 Economic Fruit - Grape Press provides pressing with a 3-ton jack. Unlike its counterparts, the jack is positioned at the bottom, providing ease of use with this clever design.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

- Works with 220 V household electricity.



VIDEO



Z14

ÇİZMATİK STAINLESS STEEL OLIVE STONING TOOL

The ÇİZMATİK® Olive Stoning Tool is easy to use. It has 14 stainless steel blades and a spring mechanism that retracts the blades when the pit is reached, preventing the pit from being crushed.

QUICK INFO

Origin: Türkiye
Brand: KADMEC

It is very easy to use and adjust.



VIDEO



MT100

KADMEC Mt100 CORN SHELLING TOOL (CORN HUSKER)

The corn shelling tool is an essential device for those who need to remove corn kernels from the cob to make corn flour or for feeding poultry. It is built to be durable and can serve for many years.

QUICK INFO

Origin: Türkiye
Brand: Kadioğlu

It is very easy to use and adjust.



VIDEO





TM200

KADIOĞLU TIMSAH 200 6.5 HP BRANCH GRINDING MACHINE

The branch grinding machine, designed for household or semi-professional use, grinds branches up to 6 cm in thickness. It has 2 main blades, 2 counter blades, and 8 cutting blades.

QUICK INFO

- Power Source: Gasoline
- Engine Power: 6.5 HP

Origin:
Türkiye

Brand:
Kadioğlu



KPM55

KADIOĞLU PELETMASTER 5.5 HP PELLET MAKING MACHINE

The machine, designed to make fuel pellets from wood shavings, olive and fruit tree branch shavings, and other plant-based waste, has a power of 5.5 HP.

QUICK INFO

- 380 V - 400 V Three-Phase
- Engine Power: 5.5 HP
- Hourly Capacity: 60-70 kg

Origin:
Türkiye

Brand:
Kadioğlu



Smartholder

KADIOĞLU SMARTHOLDER WOOD HOLDER

It provides safe, comfortable, and fast cutting, making your work easier.

QUICK INFO

- 380 V - 400 V Three-Phase
- Engine Power: 5.5 HP
- Hourly Capacity: 60-70 kg

Origin:
Türkiye

Brand:
Kadioğlu





.KADMEC.COM
WWW.NUTMEC.COM



@kadioglumakine



Kadioglumakina



kadioglumakina



@kadioglumakine



Kadioğlu Makine San Tic. Ltd. Şti.
Kale Mahallesi Yeşilyurt Sokak No: 13
Kestel / Bursa / Turkey



Magyarországi képviselő, kizárólagos importőr
és forgalmazó:
KERTCENTER Kft.
8754 Galambok, Rigóhegyi út 77.
Web: Kertcenter.com
E-mail: info@kertcenter.com